

Companion-Size Lanterns

Built from the Inside-Out to Last!

- Compression Molded
- Non-Corrosive Durability
- Limited Lifetime Warranty
- Non-Metallic Composite Material
- OceanSide® Approved
- Withstand Harsh Weather





SCAN FOR VIDEO



OCEANSIDE® APPROVED

The OceanSide® icon indicates that this product meets an uncompromising set of standards for low-maintenance durability and harsh weather performance.

Our advanced engineering, pleasing designs and leading-edge technologies allow us to eliminate components that can fail due to rust, corrosion or exposure to extreme climates. OceanSide® Approved products are specifically designed from the INSIDE-OUT to meet the rigors of nature's harshest environment.



Lanterns Companion-Size, Non-Corrosive

GUIDE CODE: S21VF-BZ-PC

ITEM #	LENS	LIGHT SOURCE	CCT	COLOR	OPTIONS
S21S S21V S21T	ACRYLIC C-Clear F-Frosted	E26 MEDIUM BASE (1) 60W MAX Medium Base LE26-9.5W 800lm (E26 LED Lamp) + ★ 120V LIGHTWAVE LED LR12-13W 1000lm 80CRI ★ LT12-12W 1040lm 90CRI	C-4K W-3K	BK-Blackstone WH-Whitestone SN-Sandstone GY-Graystone BZ-Bronzestone	PC-Photocell (only available on S21V)

+ Lamp included. ★Energy Star qualified product. \*Energy Star only available on S21S and S21V. Spec sheets and IES files available online. Specifications subject to change without notice. LED option information on page 5.




## Lanterns Full-Size, Non-Corrosive

GUIDE CODE: S11VC-LR12W-WH-PC

ITEM #	LENS	LIGHT SOURCE	CCT	COLOR	OPTIONS
S11S S11V S11T	ACRYLIC C-Clear F-Frosted	<b>E26 MEDIUM BASE</b> (1) 100W MAX Medium Base <b>LE26-9.5W 800lm (E26 LED Lamp) + ★</b> <b>120V LIGHTWAVE LED</b> LR12-13W 1000lm 80CRI ★ LR15-15W 1400lm 80CRI ★ LT12-12W 1040lm 90CRI LT15-16W 1400lm 90CRI	C-4K W-3K	BK-Blackstone WH-Whitestone SN-Sandstone GY-Graystone BZ-Bronzestone	PC-Photocell (only available on S11V)

★ Lamp included. ★Energy Star qualified product. \*Energy Star only available on S11S and S11V. Spec sheets and IES files available online. Specifications subject to change without notice. LED option information on page 5.



**OUTDOOR DECORATIVE** EVERSTONE™ NON-CORROSIVE



**S26SL-BK**  
EXTENDS: 9.25"  
H/CTR: 8.75"  
BACKPLATE:  
7.25" X 5.375"



**S26VC-SN**  
EXTENDS: 9.25"  
H/CTR: 3.625"  
BACKPLATE:  
7.25" X 5.375"



**S27SC-BZ**  
EXTENDS: 9.25"  
H/CTR: 13.75"  
BACKPLATE:  
7.25" X 5.375"

# Everstone Non-Corrosive

**GUIDE CODE: S26SL-LE26C-BK**

ITEM #	GLOBE	LIGHT SOURCE	CCT	COLOR
<b>S26S</b> <b>S26V</b>	ACRYLIC <b>C</b> -Clear Prismatic <b>L</b> -Opal	<b>E26 MEDIUM BASE</b>  (1) 60W MAX Medium Base <b>LE26</b> -9.5W 800lm (E26 LED Lamp) ★ ★	<b>C</b> -4K <b>W</b> -3K	<b>BK</b> -Blackstone <b>WH</b> -Whitestone <b>SN</b> -Sandstone <b>GY</b> -Graystone <b>BZ</b> -Bronzestone
<b>S27S</b>	POLYCARBONATE <b>C</b> -Clear Textured			

**GUIDE CODE: S32WL-LR12C-BK**

ITEM #	GLOBE	LIGHT SOURCE	CCT	COLOR
S32W	ACRYLIC C-Clear Prismatic L-Opal	E26 MEDIUM BASE	C-4K W-3K	BK-Blackstone WH-Whitestone SN-Sandstone GY-Graystone BZ-Bronzestone
		(1) 60W MAX Medium Base LE26-9.5W 800lm (E26 LED Lamp) + ★		
		120V LIGHTWAVE LED		
		LR12-13W 1000lm 80CRI ★ LR15-15W 1400lm 80CRI ★ LT12-12W 1040lm 90CRI LT15-16W 1400lm 90CRI		
		120-277V MULTI-VOLT LED		
		L11-11W 912lm	4K	S32W-WH EXTENDS: 4" H/CTR: 7.5" BACKPLATE: 13.875" x 6.75"

† Lamp included. ★ Energy Star qualified product. Spec sheets and IES files available online. Specifications subject to change without notice. LED option information on page 5.





Everstone Post Mount Non-Corrosive



GUIDE CODE: S27TC-WH

ITEM #	GLOBE	LIGHT SOURCE	CCT	COLOR
S26T	ACRYLIC C-Clear Prismatic F-Frost L-Opal	E26 MEDIUM BASE (1) 100W MAX Medium Base LE26-9.5W 800lm (E26 LED Lamp) †	C-4K W-3K	BK-Blackstone WH-Whitestone SN-Sandstone GY-Graystone BZ-Bronzestone
S27T	POLYCARBONATE C-Clear Textured			

† Lamp included. Spec sheets and IES files available online. Specifications subject to change without notice.  
LED option information on page 5.







S33WL-LE26A-SN



**S33WT-BK**  
EXTENDS: 4"  
H/CTR: 7.75"  
BACKPLATE:  
14.125" x 6.75"



Available with No Insignia,  
Lighthouse, or Turtle

# Turtle & Dark Sky Friendly

- Florida Wildlife Certified with Amber LED Light Source
- Meets Standards for Beachfront, Turtle Safe Lighting
- 100% Cut-Off - Complies with Dark Sky Standards
- Non-Corrosive Hardware

GUIDE CODE: S33WL-LE26A-WH

ITEM #	INSIGNIA	LIGHT SOURCE	CCT	COLOR
S33W	N-No Insignia L-Lighthouse T-Turtle	E26 MEDIUM BASE	C-4K W-3K	BK-Blackstone WH-Whitestone SN-Sandstone GY-Graystone BZ-Bronzestone
		(1) 60W MAX Medium Base LE26-9.5W 800lm (E26 LED Lamp) + ★		
		120V LIGHTWAVE LED		
		LR12-13W 1000lm 80CRI ★ LT12-12W 1040lm 90CRI		
		120-277V E26 AMBER LED	596nm	
		LE26A-11W 336lm (E26 LED Lamp) +		

+ Lamp included. ★Energy Star qualified product. Spec sheets and IES files available online. Specifications subject to change without notice. LED option information on page 5. Consult factory for details. Florida wildlife certified lighting.

